| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|--|---|---------------------|---------|------------------|
| S1 | 2 | "4965827".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 11:23 |
| S2 | 2 | "20050076206" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 11:28 |
| S3 | 198 | ("20050076206" "6044468" "6370152" "6023730" "20040236759" "5471617" "5559958" "5889470" "5898823" "5960176" "6085245" "6182157" "6253243" "6360258" "20050165834" "5684988" "5619615" "5949974" "5996010" "6041342" "5185860" "5522042" "5561769" "5592620" "5655081" "5678006" "5682523" "5737518" "5740368" "5778183" "5812771" "5850397" "5907696" "5961595" "5987514" "5999179" "6073162" "6076107" "6085237" "6122639" "6181776" "6199109" "6240457" "6271845" "6272537" "6286040" "6292472" "6393475" "6539540" "6574664" "6633909" "6697845" "6704792" "6711613" "6728768" "6757901" "6854011" "6981036" "6982953" "6996827" "7010589" "20020046268" "20020120730" "20020120772" "20020188708" "20030009543" "20030126193" "20040044758" "20040025181" "20040215763" "20040026301" "2006016925" "5857190" "6122732" "6466583" "6795862" "20040255021" "20050198249" "20060026301" "2006016925" "5857190" "6122732" "6466583" "6795862" "20040255021" "20050177642" "20060080429" "20060155824" "20060069767" "20060080429" "20060168197" "20060155845" "20060155846" "20060168197" "20060155845" "20060155846" "20060168197" "20060184659" "200600155846" "20060168197" "20060184659" "200600155846" "20060168197" "20060184659" "20060020547" "6324646").pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 13:52 |
| S4. | 88 | 713/168-170.ccls. and (((shar\$3 common\$3) near3 (seed number module parameter)) with (entit\$3 client receiver transmitter user part\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/10/13 14:02 |
| S5 | 92 | 713/168-170.ccls. and (((shar\$3 common\$3) near3 (seed number module parameter)) with (entit\$3 client receiver transmitter user part\$3 agent manager)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 14:55 |
| S6 | 243 | 713/168-170.ccls. and ((shar\$3 common\$3) near3 (seed number module parameter)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 14:57 |

| | | • | | | | |
|-----|-------|--|---|----|----|------------------|
| S7 | 226 | 380/255,44-47.ccls. and ((shar\$3 common\$3) near3 (seed number module parameter)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 14:57 |
| S8 | 140 | 713/168-170.ccls. and ((shar\$3) near3 (seed number module parameter)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 14:57 |
| S9 | 216 | 713/168-170.ccls. and ((shar\$3) near3 (seed number module parameter value)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 15:18 |
| S10 | 138 | 380/255,44-47.ccls. and ((shar\$3) near3 (seed number module parameter value)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 14:57 |
| S11 | 26 | S9 and ((generat\$3 determin\$4 calculat\$3 manipulat\$3) with ((shar\$3 common) near3 (seed number module parameter value)) with (random pseudo)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 15:00 |
| S12 | 32 | S10 and ((generat\$3 determin\$4 calculat\$3 manipulat\$3) with ((shar\$3 common) near3 (seed number module parameter value)) with (random pseudo)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/15 15:51 |
| S13 | 41 | S9 and (((shar\$3 common) near3 (seed number module parameter value)) with (random pseudo)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 15:00 |
| S14 | 222 | 713/168-170.ccls. and ((shar\$3) near3 (seed number module parameter value nonce)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 16:28 |
| S15 | 24 | S14 and ((trnasmit\$4 send\$3 receiv\$3 incorporat\$3 integrat\$3 includ\$3 add\$3) with ((shar\$3 commom) near3 (seed number module parameter value nonce)) with (message string packet "MAC" (authentication adj (code value inforamtion)) "CRC" checksum datagram)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/15 15:50 |
| S16 | 47465 | ((shar\$3) near3 (seed number module parameter value nonce)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 16:29 |

| • | | | | | | |
|-----|-------|---|---|-----|----|------------------|
| S17 | 15053 | ((shar\$3) near1 (seed number module parameter value nonce)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 16:33 |
| S18 | 44 | S17 and ((trnasmit\$4 send\$3 receiv\$3 incorporat\$3 integrat\$3 includ\$3 add\$3 append\$3) near2 ((shar\$3 commom) near1 (seed number module parameter value nonce)) with (message string packet "MAC" (authentication adj (code value inforamtion)) "CRC" checksum datagram)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 17:23 |
| S19 | 125 | ((shar\$3) near1 (seed number module parameter value nonce)) and (insecure near (communication network channel)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 16:34 |
| S20 | 44 | ((trnasmit\$4 send\$3 receiv\$3 incorporat\$3 integrat\$3 includ\$3 add\$3 append\$3) near2 ((shar\$3 commom) near1 (seed number module parameter value nonce)) with (message string packet "MAC" (authentication adj (code value inforamtion)) "CRC" checksum datagram)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 17:59 |
| S21 | 7 | ("6044468" "6047072" "6292790" "RE37178").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 17:59 |
| S22 | 11 | ("4418333" "4703306" "4755792" "5051720" "5227762" "5352957" "5471190" "5570085" "5661804").PN. OR ("6690289").URPN. | US-PGPUB; USPAT; USOCR | OR. | ON | 2006/10/15 15:48 |
| S23 | 279 | ((trnasmit\$4 send\$3 receiv\$3 incorporat\$3 integrat\$3 includ\$3 add\$3) with ((shar\$3 commom) near1 (seed number module parameter value nonce)) with (message string packet "MAC" (authentication adj (code value inforamtion)) "CRC" checksum datagram)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/15 16:01 |
| S24 | 133 | S23 and ((generat\$3 determin\$4 calculat\$3 manipulat\$3 establish\$3) with ((shar\$3 common) near1 (seed number module parameter value))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/15 16:00 |
| S25 | 2 | "5661804".pn | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/15 15:56 |
| S26 | 7427 | ((generat\$3 determin\$4 calculat\$3 manipulat\$3 establish\$3) with ((shar\$3 common) near1 (seed number parameter value key))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/15 16:00 |

| S27 | 3039 | ((generat\$3 determin\$4 calculat\$3 manipulat\$3 establish\$3) with ((shar\$3) near1 (seed number parameter value key))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/15 16:00 |
|-----|------|--|---|----|------|------------------|
| S28 | 954 | S27 and ((trnasmit\$4 send\$3 receiv\$3 distribut\$3) with ((shar\$3 commom) near1 (seed number parameter value nonce key))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/15 16:07 |
| S29 | 249 | S28 and "713"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2006/10/15 16:08 |
| S30 | 225 | S28 and "380"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/15 16:07 |